

OB1 - <offline>

"Main_Program"

Name:

Author:

Time stamp Code:

Lengths (block/logic/data):

Family:

Version: 0.1

Block version: 2

06/26/2011 07:16:46 PM

02/15/1996 04:51:12 PM

00312 00188 00026

| Name | Data Type | Address | Comment |
|----------------|---------------|---------|---|
| TEMP | | 0.0 | |
| OB1_EV_CLASS | Byte | 0.0 | Bits 0-3 = 1 (Coming event), Bits 4-7 = 1 (Event class 1) |
| OB1_SCAN_1 | Byte | 1.0 | 1 (Cold restart scan 1 of OB 1), 3 (Scan 2-n of OB 1) |
| OB1_PRIORITY | Byte | 2.0 | Priority of OB Execution |
| OB1_OB_NUMBR | Byte | 3.0 | 1 (Organization block 1, OB1) |
| OB1_RESERVED_1 | Byte | 4.0 | Reserved for system |
| OB1_RESERVED_2 | Byte | 5.0 | Reserved for system |
| OB1_PREV_CYCLE | Int | 6.0 | Cycle time of previous OB1 scan (milliseconds) |
| OB1_MIN_CYCLE | Int | 8.0 | Minimum cycle time of OB1 (milliseconds) |
| OB1_MAX_CYCLE | Int | 10.0 | Maximum cycle time of OB1 (milliseconds) |
| OB1_DATE_TIME | Date_And_Time | 12.0 | Date and time OB1 started |

Block: OB1 "Main Program Sweep (Cycle)"

Example 5.8 - Total count of items on 2 conveyors - two counters

Copyright (c) 2011 Dogwood Valley Press, LLC

Network: 1

